

**Listing of Claims**

The following listing of claims will replace all prior versions, and listings, of claims in the subject application:

1. (currently amended) A method for efficiently exploiting an upstream channel bandwidth of full-duplex connection between a user and data network comprising:

a) providing a coordination center for tracking data entities distributed over said data network;

b) receiving one or more data entities from said network by at least one user;

b c) storing said data entity on ~~said user's~~ a storage device of said at least one user for a predetermined period of time for further use; and

e d) re-transmitting said received data to other users, wherein,

whenever said coordination center of said network receives from one or more of said other users one or more requests for said received data entities, said coordination center points to the corresponding user(s) from which said requested data entities can be obtained, and causes the requested data entities to be re-transmitted to the requesting other user(s).

2. (currently amended) A method according to claim 1, wherein the re-transmission of said received data to said other users is carried out during download time.

3. (currently amended) A method according to claim 1, wherein the re-transmission of said received data to said other users is carried out after downloading is completed.

4. (currently amended) A method according to claim 1, comprising:

- a) receiving said data by said user;
- b) storing said received data on said user's computer system; and
- c) re-transmitting said data from the user's location to said other users through said upstream channel bandwidth in response to a request or according to pre-defined operation instructions.

5. (original) A method according to claim 1, comprising:

- a) receiving data on said user's computer system;
- b) causing said received data to be re-transmitted through said upstream channel bandwidth from said user to a first group of one or more other users;
- c) causing said received data to be re-transmitted through said upstream channel bandwidth from said first group of users to a further group of one or more other users; and
- d) repeating step (c) for all said users requesting the same said data.

6. (original) A method according to claim 5, wherein said data is transmitted to said user from a plurality of other users.

7. (original) A method according to claim 5, wherein the transmission of data from a user to one or more other user(s) is carried out with delay.

8. (original) A method according to claim 1, comprising:

- a) receiving data on said user's computer system;
- b) re-transmitting said received data through said upstream channel bandwidth to a dedicated server for storage; and
- c) retrieving said stored data from said dedicated server for other purposes.

9. (currently amended) A system for managing data flow in a data network, comprising:

- a) a coordination center for tracking data entities distributed over said data network;
- b) a plurality of users having computer means connected to said data network via a full-duplex connection, said each one of the computer means of said plurality of users comprising, or being coupled to, memory means for storing received one or more of said data entities; and
- c) software and/or hardware means for re-transmitting received data entities from the computer of each user via the upstream channel of his said user full duplex connection to other users that are connected to said network;

wherein,

whenever said coordination center of said network receives from one or more of said other users one or more requests for said received data entities, said coordination center points to the corresponding user(s) from which said requested data entities can be obtained, and causes the requested data entities to be re-transmitted to the requesting other user(s).

10. (original) A system according to claim 9, wherein the coordination center comprises storage means and software/hardware component for storing information related to the data passed through the network and for data retrieval.

11. (original) A system according to claim 9, wherein the users are provided with software/hardware components, suitable to re-transmit the data received in said user's computer to the other users on the network according to instruction from the coordination center or according to pre-defined operation instructions.

Nir Ben-Zvi  
Serial No.: 09/704,435  
Filed: November 2, 2000  
Page 5

12. (original) A system according to claim 9, wherein the users are provided with software/hardware components suitable to send information to the coordination center representative of the upstream bandwidth available, and of the contents stored in the memory means associated with the user's computer, that are available for retransmission.

Claim 13 (canceled).